XXZPB100

Teach mode pushbutton, selection of detection window, for ultrasonic sensor



| Teach mode push-button |
|------------------------|
| Ultrasonic sensor |
| Sensor accessories |
| Push-button |
| |

Complementary

| o o mpromormon y | |
|-----------------------|---|
| Product compatibility | XX518A3.AM12 XX7V1A1.AM12 |
| Electrical connection | 1 male connector M12 3 pins straight 1 female connector 5 pins straight |
| Net weight | 0.035 kg |

Packing Units

| Packing Units | |
|------------------------------|----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 4.1 cm |
| Package 1 Width | 6.6 cm |
| Package 1 Length | 9.6 cm |
| Package 1 Weight | 49.0 g |
| Unit Type of Package 2 | S02 |
| Number of Units in Package 2 | 30 |
| Package 2 Height | 15.0 cm |
| Package 2 Width | 30.0 cm |
| Package 2 Length | 40.0 cm |
| Package 2 Weight | 1.818 kg |

Offer Sustainability

| Sustainable offer status | Green Premium product | | |
|--|---|--|--|
| Environmental Disclosure | Product Environmental Profile | | |
| Circularity Profile | [™] End of Life Information | | |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov | | |
| For all Reach Rohs enquiries contact us at | sustainability@tesensors.com | | |


Contractual warranty

| Contractual warranty | | | |
|----------------------|-----------|--|--|
| Warranty | 18 months | | |

Product data sheet Dimensions Drawings


XXZPB100

Dimensions



(1) Cable, length: 152 mm.

Wiring for Teaching of Detection Window



- (1) M12 female connector
- (2) Sensor side
- (3) Output
- BN Brown WH White
- BU Blue
- BK Black