



LED LAMPS & RETROFIT DOWNLIGHTS

**C-LITE®**

## YOUR TRUSTED VALUE BRAND.

C-Lite® offers a broad range of reliable, easy to install, LED lighting products with all the options you need. All products meet Cree Lighting's rigorous testing standards in order to provide superior quality and dependability, and are fully backed by Cree Lighting.

### SIMPLE

Our mission is simple: provide high performance, go-to LED lighting at incredible value.

### EASY

From easy installation to making sure our products are always in stock, easy to find and ready to work, we make jobs of all sizes quick, easy and painless.

### QUALITY

Cree Lighting won't put their name on just any box. Engineered to deliver great energy savings and powerful performance, C-Lite® is backed by a great warranty and Cree Lighting's world-class live customer support.



# A-LAMPS & REFLECTORS

Best Combination of Performance and Value; up to 5 Year Limited Warranty\*

- 80+ CRI
- Base: E26
- Damp location rated



A19

BR30

Part Number	Lamp Type	Replaces	CCT	Lumens	Energy Used (watts)	Lifetime Hours	Dimmable	ENERGY STAR Qualified	Pack Size
C-A19-A-40W-ND-27K-B4	A19	40W	2700K	440	5.5	10,000	No	No	4 Pack
C-A19-A-60W-ND-27K-B4	A19	60W	2700K	750	9	10,000	No	No	4 Pack
C-A19-A-60W-ND-30K-B4	A19	60W	3000K	750	9	10,000	No	No	4 Pack
C-A19-A-75W-ND-27K-B2	A19	75W	2700K	1,050	11	10,000	No	No	2 Pack
C-A19-A-40W-DIM-27K-B2	A19	40W	2700K	450	6	15,000	Yes	Yes	2 Pack
C-A19-A-60W-DIM-27K-B2	A19	60W	2700K	800	9	15,000	Yes	Yes	2 Pack
C-A19-A-60W-DIM-30K-B2	A19	60W	3000K	800	9	15,000	Yes	Yes	2 Pack
C-A19-A-75W-DIM-27K-B2	A19	75W	2700K	1,100	12	15,000	Yes	Yes	2 Pack
C-BR30-A-65W-DIM-27K-B2	BR30	65W	2700K	750	8	10,000	Yes	No	2 Pack
C-BR30-A-65W-DIM-30K-B2	BR30	65W	3000K	800	8	10,000	Yes	No	2 Pack

\*See [creelighting.com/warranty](http://creelighting.com/warranty) for details

# RETROFIT DOWNLIGHTS

Best Combination of Performance and Value; 5 Year Limited Warranty\*

- 90+ CRI
- Meets ENERGY STAR, CEC Title 20/Title 24 JA-8 requirements
- Dimmable
- Damp location rated
- White Plastic Finish



4" Downlight

6" Downlight

Part Number	Size	Replaces	CCT	Lumens	Energy Used (Watts)	Lifetime Hours	Base
C-DL4-A-575L-27K-B1	4 inch	55W	2700K	575	7.6	35,000	E26 or ideal connector
C-DL4-A-575L-30K-B1	4 inch	55W	3000K	575	7.6	35,000	E26 or ideal connector
C-DL4-A-575L-40K-B1	4 inch	55W	4000K	575	7.6	35,000	E26 or ideal connector
C-DL6-A-650L-27K-B1	6 inch	65W	2700K	650	8.6	35,000	E26 or ideal connector
C-DL6-A-650L-30K-B1	6 inch	65W	3000K	650	8.6	35,000	E26 or ideal connector
C-DL6-A-650L-40K-B1	6 inch	65W	4000K	650	8.6	35,000	E26 or ideal connector

\*See [creelighting.com/warranty](http://creelighting.com/warranty) for details

# T8 LAMPS

Easy to install Type B T8, no ballast required ; 5 Year Limited Warranty\*

- Double End Powered Ballast Bypass
- 80+ CRI
- DLC Standard
- Non-Dimmable
- Good for enclosed & Damp location rated
- Frosted Glass



Part Number	Type	Length	Replaces	CCT	Lumens	Energy Used (Watts)	Lifetime Hours	Base
C-T848-A-32W-35K-B1	Type B T8	4 FT	32W	3500K	1,800	14	50,000	Medium Bi-Pin G13
C-T848-A-32W-40K-B1	Type B T8	4 FT	32W	4000K	1,800	14	50,000	Medium Bi-Pin G13
C-T848-A-32W-50K-B1	Type B T8	4 FT	32W	5000K	1,800	14	50,000	Medium Bi-Pin G13
C-T836-A-25W-35K-B1	Type B T8	3 FT	25W	3500K	1,500	12	50,000	Medium Bi-Pin G13
C-T836-A-25W-40K-B1	Type B T8	3 FT	25W	4000K	1,500	12	50,000	Medium Bi-Pin G13
C-T836-A-25W-50K-B1	Type B T8	3 FT	25W	5000K	1,500	12	50,000	Medium Bi-Pin G13
C-T824-A-17W-35K-B1	Type B T8	2 FT	17W	3500K	1,150	9	50,000	Medium Bi-Pin G13
C-T824-A-17W-40K-B1	Type B T8	2 FT	17W	4000K	1,150	9	50,000	Medium Bi-Pin G13
C-T824-A-17W-50K-B1	Type B T8	2 FT	17W	5000K	1,150	9	50,000	Medium Bi-Pin G13

\*See [creelighting.com/warranty](http://creelighting.com/warranty) for details



Visit [c-lite.com](http://c-lite.com) to learn more.

© 2019 Cree Lighting, A company of IDEAL INDUSTRIES. All rights reserved. For informational purposes only. Content is subject to change. Patent [www.creelighting.com/patents](http://www.creelighting.com/patents). Not a warranty or specification. Cree® is a registered trademark of Cree, Inc. C-Lite® and the C-Lite® logo are registered trademarks of Cree Lighting, A company of IDEAL INDUSTRIES. ENERGY STAR® is a registered trademark of U.S. EPA. The UL Logo is a registered trademark of UL LLC. CAT/CSJ-C040 Rev. Date 07/18/2019

**C-LITE®**