

KTF cable grommets for KEL-JUMBO

for cable diameters 33 - 65 mm / IP54 / UL Type 12



The grommets KTF are suitable for cable diameters up to 65 mm.

Suitable for KEL-JUMBO cable entry frames.

Cables with a comparatively smaller diameter can be utilised with KEL-JUMBO frames by using an adapter grommet.

IP54

UL TYPE
12

CE US

RIIA

HL3
EN 45545-2

EN 61373

ECOLAB
certified

UV
ISO 4892-2A

RoHS
compliant

REACH
COMPLIANCE

Made in
Germany



Specifications


IP rating (EN 60529)	IP54
UL Type (UL 50E)	UL Type 12
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free


Advantages & Benefits


- Installation of cables up to 65 mm in diameter
- It is possible to install rigid cables at angles

Product types & Sizes

	Part No.	42371	Mounting height	2,5 mm
	EAN	4251269308581	Blank grommet	1
	PU	1		
	Color	grau (ähnlich RAL 7035)		
	Length	81 mm		
	Width	81 mm		
	Height	37 mm		
<hr/>				
	Part No.	42376	Height	37 mm
	EAN	4251269308598	Mounting height	2,5 mm
	PU	1	For cable type	Rundleitung
	For max. no. of cables	1	Clamping range	1 x 33 - 36 mm
	Color	grau (ähnlich RAL 7035)		
	Length	81 mm		
	Width	81 mm		

	KTF 38	Part No.	42379	Height	37 mm
		EAN	4251269308604	Mounting height	2,5 mm
		PU	1	For cable type	Rundleitung
		For max. no. of cables	1	Clamping range	1 x 37 - 40 mm
		Color	grau (ähnlich RAL 7035)		
		Length	81 mm		
		Width	81 mm		


	KTF 42	Part No.	42382	Height	37 mm
		EAN	4251269308611	Mounting height	2,5 mm
		PU	1	For cable type	Rundleitung
		For max. no. of cables	1	Clamping range	1 x 41 - 44 mm
		Color	grau (ähnlich RAL 7035)		
		Length	81 mm		
		Width	81 mm		

	KTF 46	Part No.	42385	Height	37 mm
		EAN	4251269308628	Mounting height	2,5 mm
		PU	1	For cable type	Rundleitung
		For max. no. of cables	1	Clamping range	1 x 45 - 48 mm
		Color	grau (ähnlich RAL 7035)		
		Length	81 mm		
		Width	81 mm		

	KTF 50	Part No.	42388	Height	37 mm
		EAN	4251269308635	Mounting height	2,5 mm
		PU	1	For cable type	Rundleitung
		For max. no. of cables	1	Clamping range	1 x 48 - 52 mm
		Color	grau (ähnlich RAL 7035)		
		Length	81 mm		
		Width	81 mm		


	KTF 54	Part No.	42391	Height	37 mm
		EAN	4251269308642	Mounting height	2,5 mm
		PU	1	For cable type	Rundleitung
		For max. no. of cables	1	Clamping range	1 x 53 - 56 mm
		Color	grau (ähnlich RAL 7035)		
		Length	81 mm		
		Width	81 mm		

	KTF 58	Part No.	42394	Height	37 mm
		EAN	4251269308659	Mounting height	2,5 mm
		PU	1	For cable type	Rundleitung
		For max. no. of cables	1	Clamping range	1 x 56 - 60 mm
		Color	grau (ähnlich RAL 7035)		
		Length	81 mm		
		Width	81 mm		

KTF 62

Part No. **42397**
EAN **4251269308666**
PU **1**
For max. no. of cables **1**
Color **grau (ähnlich RAL 7035)**
Length **81 mm**
Width **81 mm**

Height **37 mm**
Mounting height **2,5 mm**
For cable type **Rundleitung**
Clamping range **1 x 61 - 65 mm**

KTA

Part No. **42370**
EAN **4251269308574**
PU **1**
For max. no. of cables **1**
Color **grau (ähnlich RAL 7035)**
Length **81 mm**
Width **81 mm**

Height **37 mm**
Mounting height **2,5 mm**
